

Dart Hawkesbury 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada Tel (613) 632-5200

### **Purchasing Receipts**

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Uni
PO039126	ACI001-VC	15	1	Net 30		6061T6 Bar 1.000 X 1.750 : MATERIAL: 6061- T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ- A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ- A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft				12	3/12/2018	12		\$050156	Stock	3/12/2018	\$ 20.17 / ft

Plex 3/12/2018 11:41 AM Dart.Dubois.Pascal



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

Tel (613) 632-5200

# **PURCHASE ORDER** PO039126

FEB 2 7 2018

Supplier:

ACI001-VC Acier Ouellette Inc.

935 Boul. Du Havre

Valleyfield

QC

J6S 5L1 Canada Phone: 800 667 4248

Fax: 450 377 5696

PO No:

Due Date:

PO039126

PO Date:

2/26/18

3/2/18

**Purchase Order** 

Revision:

Ship-To Contact:

Revision Date:

Lavoie, ChantalPhone:

clavoie@dartaero.com

Ship To:

1270 Aberdeen Street

Hawkesbury

ON

K6A 1K7 Canada Phone: 613-632-5200 Via:

Ground

Pymt Terms:

Net 30

Freight Terms:

Special Comments: quotation no: sou0087982

				tems					11 14	Extended
Line	Part	Supplier Part No	Description	Status	Due Date	Quantity	Received Quantity	Balance	Unit Price (CAD)	Price
	M4140H-R1.000		4140 round bar 1.00 AISI 4140H ROUND BAR PER AISI4140OR ASTM A304-02/-A-434- BC/-A193-03-GRADE B7/- A29-03/-A322-91 OR UNS#-G41400 MINIMUM ULTIMATE TENSILE STRENGTH=100 KSI MINIMUM YIELD TENSILE STRENGTH=66KSI	Firmed	3/2/18	12 ft	10		\$4.664/ft AR 0 7 2018	\$55.9
2	M304B0.500X6.000		304 Bar 0,500 X 6,000" : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE	Firmed	3/2/18	6 ft	6 6		\$45.48666/ft	\$272.92
3 1	м304B0.625X6.000	; ;	receive ft 304 Bar 0.625 X 6.000" MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	3/2/18	6 ft ∵	(G)		\$55.83333/ft MAR 0 7 2018	
4 M	M304S11GA	: : : : :		Firmed	3/2/18	96 sf	) 09 96	96 sf	\$12.2298/sf \$	\$1,174.06

8				Items						,
ine		Supplier	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
5	M304S18GA		304/316 .050 Sheet : MATERIAL: AISI 304/316 SS SHEET ANNEALED AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240	Firmed	3/2/18	64 sf	6 L)	64 sf	A	\$342.72
6	M304S16GA		304/316 Sheet .063 : MATERIAL: AISI 304/316 SS SHEET ANNEALED AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240 receive sf		3/2/18	192 sf	197	MAI	\$6.508625/sf	
,	M304S20GA		304/316 .040 Sheet : MATERIAL: AISI 304/316 SS SHEET ANNEALED AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240 receive sf	Firmed	3/2/18	96 sf	9 (st)		\$3.9085416/sf	\$375.22
	M304R5.500		304 SS Round bar 5.500 MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	3/2/18	8 ft	8	8 ft MAR	\$310.625/ft 0 7 2018	\$2,485.00
)	M304R0.625		MATERIAL: AISI 304/316 MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE	Firmed	3/2/18	24 ft	o(tt) 26		\$2.6591666/ft 0 7 2018	\$63.82
)	MT-A513-T- 0.625W0.095	4	eceive ft A513 Seamless Alloy Steel Round Tubing 0.625"dia. x 0.095" Wall	Firmed	3/2/18	20 ft	22 22	20 ft <b>MAR</b>	\$2.9595/ft  0 9 2018	\$59.19
	MT-A513-T- 0.750W0.095	5	A513 Seamless Alloy Steel Round Tubing 5,75"dia. x 0.095" Wall	Firmed	3/2/18	20 ft	23	20 ft <b>M</b>	\$2.4095/ft AR 0 9 2018	\$48.19
	MT-A513-T- 1.000W0.120	S	N513 Seamless Alloy Steel Round Tubing 1"dia. 0.120" Wall	Firmed	3/2/18	20 ft	73°	20 ft MAR	\$2.4695/ft 0 7 2018	\$49.39
3 1	M6061T6B2.000X01.250	T A C A 4 C A C A	061-T6 Bar 2.00 X 1.25 MATERIAL: 6061- 6/T651/T6510/T6511/T62 LUMINUM BAR PER 0Q-A-225/8 OR AMS-QQ225/8 OR AMS 117/4128/4115/4116 OR 0Q-A-200/8 OR AMS-QQ200/8 OR AMS 4160 OR ASTM B211 OR STM B221 eccive ft	Firmed :	3/2/18	12 ft	(A)	12 ft MAR	\$10.1125/ft	\$121.35

Part M6061T6B0.750X04.000		Description 6061-T6 Bar .750 X 4.00 MATERIAL: 6061- 16/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 DR ASTM B211 OR ASTM B221	Status Firmed	Due Date 3/2/18	Order Quantity 12 ft		ty Balance	Unit Price (CAD) \$10.429166/ft	Price \$125.15
M6061T6B0.750X04.000		6061-T6 Bar .750 X 4.00 MATERIAL: 6061- T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ- A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ- A-200/8 OR AMS 4160 OR ASTM B211 OR	Firmed			,			\$125.15
:10°		MATERIAL: 6061- T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ- A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ- A-200/8 OR AMS 4160 OR ASTM B211 OR				17	ŀ	MAR 0 7 2018	
M6061T6B1.000X1.750		eceive ft							
MI606 1 16B 1.000X 1.100		6061T6 Bar 1.000 X 1.750	Firmed	3/2/18	12 ft	0	ft 12 ft	\$20.16666/ft	\$242.00
		MATERIAL: 6061- 16/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ- A-225/8 OR AMS 1117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ- A-200/8 OR AMS 4160 DR ASTM B211 OR ASTM B221				12	(A) 25 H	MAR 1 2 DAS 11 9-89	\$908.71
M304B0.750X2.500	3	304 Bar .750 X 2.50	Firmed	3/2/18	36 ft	0(	30 11	\$25.24 1944/10	φοσοιι
i de la companya della companya della companya de la companya della companya dell	S S A A N A A A A A A A A A A A A A A A	SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE				36			
и6061T6S.050	6	061-T6 .050 Sheet MATERIAL: 6061-T6/T62	Firmed	3/2/18	96 sf	08	96 sf	\$3.3095833/sf	\$317.72
A.	F A A	PER QQ-A-250/11 OR MS-QQ-A-250/11 OR MS 4025 OR AMS 4027 DR ASTM B209				96	`		
и6061T6S.250	6	061T6 Sheet .250 MATERIAL: 6061-T6/T62	Firmed	3/2/18	32 sf	0(5	sf) 32 sf	\$9.92875/sf	\$317.72
	P A C	PER QQ-A-250/11 OR MS-QQ-A-250/11 OR MS 4025 OR AMS 4027 DR ASTM B209				50	, Sand		3
и1018R0.3Ì3	1	018-1025 Round Bar	Firmed	3/2/18	12 ft	%	ft) 12 ft	\$0.4958333/ft	\$5.95
	: 1 N N	MATERIAL: AISI 1018- 025 ROUND BAR 11010S20GA AS PER 11L-S-7097 OR ASTM 108 eceive ft				17			\$43.23
и1018B1.000X1.000	1	.000 X 1.000	Firmed	3/2/18	12 ft	0(	y 12 ft	\$3.0U23/II	ψΨυ,2.υ
	1 A C 3	025 OR ASTM .36/A366/A569/A570 OR .DR CSA G40-21 8W/44W/50W/60W/70W .SA G40-21 OR				12	Activ	AAR D 7 29%	la la
	M6061T6S.250 M1018R0.313	M304B0.750X2.500  33  M6061T6S.050  6  M6061T6S.250  6  MAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	ALUMINUM BAR PER QQ.A-225/8 OR AMS-QQ- A-225/8 OR AMS-QQ- A-225/8 OR AMS-QQ- A-220/8 OR AMS-QQ- A-200/8 OR AMS-QQ- A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft  304 Bar .750 X 2.50 : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft  6061-T6 .050 Sheet : MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS-QQ-A-2	ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ- A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft  M304B0.750X2.500  304 Bar .750 X 2.50 MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft  MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS-QQ-A-210 OR AMS-QQ-A-210 OR	ALUMINUM BAR PER QQ.A-225/8 OR AMS-QQ- A-225/8 OR AMS-QQ- A-225/8 OR AMS-QQ- A-220/8 OR AMS-QQ- A-200/8 OR AMS-QQ- A-200/8 OR AMS 4117/4128/4115/4116 OR QQ.A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft 304 Bar. 750 X 2.50 MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft 6061-T6.050 Sheet MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS-QQ-A-2	ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ- A-225/8 OR AMS QQ- A-225/8 OR AMS QQ- A-220/8 OR AMS QQ- A-200/8 OR AMS-QQ- A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft  304 Bar .750 X 2.50	ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ- A-225/8 OR AMS-QQ- A-226/8 OR AMS-QQ- A-200/8 OR AMS-QQ- A-200/8 OR AMS-4160 OR ASTM B211 OR ASTM B221 receive ft 304 Bar ,750 X 2.50 Firmed 3/2/18 36 ft SS BAR OR AISI 304/316 SS BAR OR AISI 304/316 SS BAR OR AISI 304/316 SS PATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft 6061-76.050 Sheet IMATERIAL: AISI 1016- AMS 4025 OR AMS 4027 OR ASTM B209 receive sf 6061T6 S.250 IMATERIAL: 6061-76/T62 ALUMINUM SHEET AS PER QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209 receive sf 6061T6 S.050 Firmed 3/2/18 32 sf 6061T6 S.250 IMATERIAL: 6061-76/T62 ALUMINUM SHEET AS PER QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209 receive sf 1018-1025 Round Bar 313 IMATERIAL: AISI 1018- 1025 ROUND BAR M1010320GA AS PER MIL-S-7097 OR ASTM A108 ROUND STEMP ASTM	ALUMINUM BAR PER QO-A 225/8 OR AMS-QO A-225/8 OR AMS-QO A-225/8 OR AMS-QO A-225/8 OR AMS-QO A-225/8 OR AMS-QO A-220/8 OR AMS-QO A-200/8 OR AMS-QO A-25/8 OR AMS-QO MATERIAL- 6081-16/162 ALUMINUM SHEET AS PER QO-A-25/0/11 OR AMS-QO-A-25/0/11 OR AMS	ALUMINUM BAR PER Q.G4.2256 OR AMS-Q.G. A-2256 OR AMS-Q.G. A-2206 OR AMS-Q.G. A-2008 OR AMS-400 ASTM B211 OR ASTM B211 OR ASTM B211 OR ASTM B213 03/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE - AISI 303 NOT ACCEPTABLE receive ft MATERIAL 6061-T6/T62 ALUMINUM SHEET AS PER Q.G250/11 OR AMS-Q.G250/11 OR AMS-Q.G350/11 OR AMS-Q.G

Plex 2/26/18 2:10 PM dart.lavoie.chantal

018				Items						I=
Ĺine		Supplier	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
Item	Part	Part No	Description	Otatus	- die	1			Grand Total:	\$8,592.96

#### **Order Notes**

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please y www.dartaerospace.com for further explanation.

Plex 2/26/18 2:10 PM dart.lavoie.chantal

## **DELIVERY - CLIENT**

Copy

CO00075987

#### ACIER OUELLETTE INC.

935, Boul. du Hâvre

Shipped to

, Ontario,

Salaberry de Valleyfield (Québec) J6S 5L1

Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

Customer No

CLI0001056 2018/02/27

**Delivery date** 

2018/03/12

Your order No

39126

Processed by

Josianne Bourdon

Salesman

Carrier

Date

**OUELLETTE VALLEYFIELD** 

**Credit Terme** 

Net 30 Days

DART AEROSPACE LTD

1270, ABERDEEN ST.

HAWKESBURY, Ontario, K6A 1K7

Billed to

Att: CHANTAL LAVOIE Tél.: 613-632-5200

Instruction F-M Deli	very Route	5		Pag	е		1				
Product Description	Weight	Otv	U/M		PCS N	1B	I	nter	nal L	Jse (	Only
Product Description	Weight	Weight Qty		CMD	EXP	B/O	IN	I	S	С	OUT
1 FLAT ALU 1 X 1 3/4 6061-T6 NS FAL-1134 10147  1 X 12' HEAT: 201801095	24.67	12.00	PI_\$CLB		1 X 12'		121		MAR	? 1 2	2018
AC13909-JG-08/03							DAS 11 9-89				
						-					

Conditions:

Total Weight (Lbs): 24.67

NIR: R-109516-6

All sold and delivered materials remain the property of "Acier Quellette Inc" until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Ouellette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Ouellette Inc." to the client. The buyer hereby accepts to respect the following conditions: Net 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All claims must be made within five (5) days with this document enclosed. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to a 25% restocking charge.

Pre	par	ed	Ву	

Verified By:

Delivered By

Time

Total (\$CAD)

Customer's Signature

CERTIFICATE OF TEST, 15987
CERTIFICAT D'ESAIS

**CUSTOMER ORDER NUMBER** NUMÉRO DE COMMANDE DU CLIENT 9,1390

Page 01 of 02

Certification Date 8-MAR-2018

Invoice Number T376783

AC00013909 PART NUMBER/NUMÉRO DE PIÈCE

513724

SOLD TO:

ACIER OUELLETTE INC.

SHIP TO:

ACIER OUELLETTE INC.

DIVISION SALABERRY DE VAEXBOUÉEAD VENDU À:

DIVISION SALABERRY DE VALLEYFIELI

935, BOUL. DU HAVRE

935, BOUL. DU HAVRE

J6S 5L1SALABERRY-DE- VALLEYFIE SALABERRY-DE- VALLEYFIELD QC

OC J65

Description:

AMS QQ-A-200/8 6061-T6511 EXTRUDED BAR

ITEM: 513724 Line Total: 25

Specifications:

QQ A 200/8

ASTM B221

MN

0.15

AMS QQA 200/8

ALUMINIUM CHEMICAL ANALYSIS

DESCRIPTION:

SI

CU

MG

CR

ZN

TI

MIN 0.4 MAX 0.8

0.15

0.8

0.04 0.35

0.25

0.15

OTHERS :

EACH

TOTAL

0.05

0.15

AL

REMAINDER

R395897

COUNTRY OF ORIGIN : USA

MECHANICAL PROPERTIES

YLD STR

ULT TEN

%ELONG

%RED

KSI 45.7

KSI

IN 02 IN

IN AREA

DESCRIPTION

48.2

49.0 51.5

16.0 17.7

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. ./Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. ./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession./Par les présentes nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

HARDNESS

MANAGER QUALITY ASSURANCE GÉRANT DE L'ASSURANCE QUALITÉ

surve Lespesi

# CERTIFICATE OF TEST CERTIFICAT D'ESAIS

Page 02 of 02

Certification Date 8-MAR-2018

Invoice Number T376783

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

AC00013909

PART NUMBER/NUMÉRO DE PIÈCE

ACIER OUELLETTE INC.

ACIER OUELLETTE INC.

SOLD TO:

DIVISION SALABERRY DE VALLSHIPTOLD

DIVISION SALABERRY DE VALLEYFIELI

VENDU À:

935, BOUL. DU HAVRE EXPÉDIÉ À:

SALABERRY-DE- VALLEYFIELD OC

935, BOUL. DU HAVRE

J6S 5L1SALABERRY-DE- VALLEYFIE

OC J65

Description:

6061-T6511 EXTRUDED BAR AM

AMS 00-A-200/8

Line Total: 25 LB

1 X 1-3/4 RECT X 12' HEAT: 201801095

TTEM: 513724

COMMENTS

MELTED AND MFG IN THE USA

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. //Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. //Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in sontest with mercure while in our possession./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

MANAGER QUALITY ASSURANCE GÉRANT DE L'ASSURANCE QUALITÉ

sum heupen

### MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MOOK	AR 1	6B 2 20	1.000 X 1.750 PO / BATCH NO.: 039/26/505015
MATERIAL CERT REC'D:  QUANTITY RECEIVED:  QUANTITY INSPECTED:  QUANTITY REJECTED:	12	† - 1	THICKNESS ORDERED: 1.000 THICKNESS RECEIVED: 1.000 SHEET SIZE ORDERED: 1.000 SHEET SIZE RECEIVED: 1.000
DESCRIPTION	(Ch	CR eck (N)	COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Ý)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	. /
CORRECT MATERIAL PER M-DRAWING	(Y)	N	Asym B221
CORRECT THICKNESS	(Y)	N	1 10). 000
PHOTO REQUIRED	Y	3	
CORRECT REF # TO LINK CERT	(1)	N	Hlax# 201801095
ORRECT MATERIAL IDENTFICATION	Name .	N	77 ( )
CORRECT M# ON THE MATERIAL	(Y)	N	
DOES THIS MATERIAL REQUIRE			
ENGINEERING SIGN OFF	Υ	(N)	
DOES THIS REQUIRE AN			
EXTRUSION REPORT	Υ	M)	

CUT SAMPLE PIECE OF	MATERIAL A	ND PREFOR	M A HARDNE	SS CHECK.	
F	RECORD RES	<b>SULTS BELOV</b>	V		
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING	25 107 25				

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY:	DAS 11	SIGNED OFF BY:
DATE:	9-89 <sub>MAR 1 2 2018</sub>	DATE:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

**SPECIFICATION CONTROL DRAWING** 

PURCHASE MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR

SPECIFICATION:

B

QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) OR QQ-A-200/8 OR AMS-QQ-A>200/8 (OR AMS 4160) OR ASTM B211 OR ASTM B221

PART NUMBER:

M6061T6B T.TTT | X | WW.WWW

THICK

WHERE "T.TTT" = THICKNESS IN INCHES "WW.WWW" = WIDTH IN INCHES

E.G. 1.0" X 12.0" BAR = M6061T6B1.000X12.000

В	REMOVE ASTM B2	СР	09.07.13				
Α	NEW ISS	DS	01.06.08				
REV.			DESCRIPTION	BY	DATE		
DESIG DRAW		DS Q7	DART AEROSPA HAWKESBURY, ONTARI				
MFG. A		AUS	DRAWING NO. M6061T6B		REV. B		
APPRO	-	M	6061-T6 BAR		SCALE		
DATE	09.07	1.13	COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND COMPRIBED AND IS SUPPLED ON THE LUPRESS CONDITION THAT IS NOT TO BE USED FOR ANY PLAY DOCUMENT OF COMPRISON WITHOUT WRITHSTEP INSBUSSION FROM DART ARXIDDAD. LTD.				